



E & O.E. We reserve the right to change price and specification without prior notice. Effective: 1st September 2016. This replaces all previous price lists. Sunseeker terms of business apply. All prices are ex works Poole. (Note: UK VAT at 20%).



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price

Item Description

£ (GBP)

#### **PACKAGES**

#### Platinum Upgrade Package

Platinum Upgrade Package consisting of the following.

Upgraded Anchor chain.

Second pair of Mooring Bollards on Forepeak.

Stainless steel Hydraulic Passerella upgrade.

Side mount stairway.

Teak Decking on Forepeak.

Teak Decking on Flybridge.

Antifouling Application upgrade.

Trailing Pumps.

Auto Troll for Transmissions.

Hydraulic Sleipner Stern thruster system.

Fin stabilization system.

Sewage Treatment plant.

Air Conditioning for the engine room.

Air Conditioning Marine Air chilled water system to Tropical specification and with quieter running WhisperCool DC fans.

Diesel fuel long range overload tank of 5,050 litre capacity.

Alfa Laval Fuel cleaning centrifugal separator.

Two Kohler 70kW in lieu of 55kW.

Tijssen CCTV camera system with eight dedicated cameras.

Tijssen SMS Paging facility.

Tijssen Swipe card security alarm Integrated to MPA system.

Tijssen MPA Generator Control and Monitoring System Upgrade.

Vimar ByMe Interior Premium Lighting System Package.

Superyacht Custom Commercial Galley Refrigeration.

Miele Professional Appliances upgrade - Miele Washing machine, Miele Tumble dryer and Miele dishwasher.

Flybridge hardtop, including retractable centre canopy and aft extending sun canopy.

Underwater lights x 15. **878,523** 



(EFFECTIVE 1ST SEPTEMBER 2016)

Item Description	Retail Price £ (GBP)
GENERAL INFORMATION (000)	
Classification	
RINA Pleasure Craft Rules	Standard
Built to RINA commercial rules 2013 and conformance to MCA LY3 but only issued with RINA pleasure certificates	
and MCA LY3 statement of compliance (private registration)	491,080
Built to RINA commercial rules 2013 and conformance to MCA LY3 and issued with RINA commercial certificate	
and MCA LY3 certificates (commercial registration prior to yacht leaving shipyard)	491,080
Certification – International tonnage certificate (issued by RINA)	Standard
Certification – Panama canal tonnage certificate (issued by RINA)	2,818
Certification – Suez canal tonnage certificate (issued by RINA)	6,916
Certification – Hong Kong tonnage certificate	7,862
INTERIOR FIT-OUT (300)	
Interior Wood Finish	
Interior Wood Finish – American Cherry – Satin finish	Standard
Interior Wood Finish – American Cherry – Gloss finish	Standard
Interior Wood Finish – Black American Walnut – Satin finish	34,493
Interior Wood Finish – Black American Walnut – Gloss finish	34,493
Interior Wood Finish – Oak Satin Finish (Quarter Sawn – Low Build)	50,477
Interior Wood Finish – Wenge Gloss Finish	58,472
Interior Wood Finish – Wenge Satin Finish	58,472
Tinting of windows	
Medium Tinted film to side windows and sliding doors	13,685

Safe

Dark Tinted film to side windows and sliding doors

Safe – 4 brick – with Digital lock in the Master Walk–in Wardrobe

Safe – 2 brick – with Digital lock in the Port Aft Guest Walk–in Wardrobe

Safe – 2 brick – with Digital lock in the Port Forward Guest Wardrobe

Safe – 2 brick – with Digital lock in the Starboard forward crew cabin

Safe – 4 brick – with Digital lock in the Wheelhouse bridge

Safe – 2 brick – with Digital lock in the Starboard Aft Guest Walk-in Wardrobe

Safe – 2 brick – with Digital lock in the Starboard Forward Guest Wardrobe

15,116

Standard

Standard

Standard

Standard

Standard

Standard

1,034



	Item Description	Retail Price £ (GBP)
Cabin beds		
	Sprung mattress for Master and guests cabins	Standard
	Foam mattress for crew beds	Standard
	Sprung mattress for crew beds	926
	Bedlinen – Set of 570 thread count Egyptian cotton sheets for all guest cabins and cotton percale for crew. Comprising of quilted mattress protector,	
	fitted bottom sheet, flat top sheet, housewife and oxford style pillowcases for all berths	Standard
	Bedlinen – Second Set of 570 thread count Egyptian cotton sheets for all guest cabins and cotton percale for crew. Comprising of quilted mattress protector,	
	fitted bottom sheet, flat top sheet, housewife and oxford style pillowcases for all berths	POA
	Inboard berth moves outboard to create double berth – Ensure that bed linen is ordered for both double and single set up. Infill is supplied for double set up	
	plus track infills to be supplied. for the Port Forward Twin Guest Stateroom	5,067
	Inboard berth moves outboard to create double berth – Ensure that bed linen is ordered for both double and single set up. Infill is supplied for double set up	
	plus track infills to be supplied. for the Starboard Forward Twin Guest Stateroom	5,067
	Additional Pullman berth option installed on the inboard bulkhead (if selected then the black water treatment plant is needed as the number of persons	
	on board has been increased) for the Port Forward Twin Guest Stateroom	8,357
	Additional Pullman berth option installed on the inboard bulkhead (if selected then the black water treatment plant is needed as the number of persons	
	on board has been increased) for the Starboard Forward Twin Guest Stateroom	8,357
Helm seat		
	Second helmseat in Wheelhouse	9,281
Blinds		
	Black out Blinds for the Port Aft Guest Stateroom, the Starboard Aft Guest Stateroom, the Port Forward Guest Stateroom and the Starboard Forward Guest Stateroom.	3,830



	Item Description	Retail Price £ (GBP)
EXTERIOR FIT	-OUT (400)	
	Antifouling application – Gelshield 200 Epoxy primer and International Trilux 33	Standard
	Antifouling two season Application upgrade – International Gelshield 200 Epoxy primer and International Micron 77 Black	27,324
	Second pair of Mooring Bollards on Forepeak	5,334
	Main Deck Saloon full height glass on the port side. No sliding doors.	Standard
	Main Deck Saloon sliding door on the port side	40,172
	Main Deck Saloon full height glass on the starboard side. No sliding doors.	Standard
	Main Deck Saloon sliding door on the starboard side	40,172
	Main Deck Saloon stern sliding patio doors. Manual operation.	Standard
	Main Deck Saloon stern sliding patio doors. Electric operation.	18,600
	Tender recovery system with Hydraulic recovery winch (Max Tender size – Williams 565 Diesel Jet)	Standard
	Williams 565 Diesel Jet fitted in the garage	POA
	Jet Ski overhead crane and chock system	Standard
	Seadoo RXP–X Jet Ski supply and fitted in the garage	Standard
	Stainless Steel removable safety rails around perimeter of bathing platform	13,281
Anchoring		
	Lewmar V9 400 Volt AC three phase Windlass. Vertcal Gypsy and Capstain drum. Manual hand wheel brake and Devils Claw chain stopper.	Standard
	Seawater pressure washing of chain with outlet in each hawse pipe	Standard
	Two Manson Ray 125kg galvanised bow anchors	Standard
	Two Manson Ray 125kg polished stainless steel bow anchors	28,824
	Two lengths of 14mm high tensile galvanised chain. Port side 120m and starboard side at 165m long	<u>Standard</u>
	Two lengths of 14mm high tensile galvanised chain. Both at 165m long in the Foredeck	1,444
	Each Anchor chain is to be marked every 10 metres – R.Y.B.W.G	Standard
	Stern capstan winches – two Lewmar C6 400 Volt 3kW three phase vertical capstans fitted port and starboard	Standard



(EFFECTIVE 1ST SEPTEMBER 2016)

Dotail Duice

	Item Description	Retail Price £ (GBP)
Exterior Equip	ment	
	Besenzoni hydraulic three stage telescopic white epoxy coated Passerella 5.8m	Standard
	Besenzoni Hydraulic three stage Telescopic stainless steel Passerella 5.8m	5,728
	Hydraulically fall rise and tilt platform with maximum lift capacity of 2000 kg	Standard
	Removable polished stainless steel bathing ladder with teak treads. One set of sockets on the aft face of the bathing platform	
	and dedicated ladder stowage in the garage	Standard
	Second set of stainless steel bathing ladder sockets on the aft face of the bathing platform.	394
	Marquip 8 step side mount stairway with hull fittings port and starboard with dedicated stowage in tender garage	7,764
	Polished stainless steel ensign staff suitable for 2.5 yard ensign	Standard
	Carbon fibre and polished stainless steel ensign staff suitable for 2.5 yard ensign	3,851
	Flybridge Spa Tub installation on the Flybridge	Standard
	Foredeck Spa Tub installation in lieu of Flybridge	20,436
	Flybridge hardtop, including retractable centre canopy and aft extending sun canopy	164,056
Teak		
	Teak Decking on the Aft Cockpit and Bathing Platform	Standard
	Teak Decking on the Wheel House Deck	Standard
	Teak Decking on the Foredeck	9,697
	Teak Decking on the Flybridge Deck	47,174
Canvas and pr	otective covers	
	Protective Covers Package.	
	Aft Cockpit. Seating cover, table covers, bar stool covers and wet bar cover.	
	Flybridge Deck. Console instrument cover, helm seat covers, seating covers, sunbed cover, table covers, bar stool covers and wet bar cover.	
	Wheelhouse Foredeck. Seating cover, sunbed cover and table cover.	Standard
	Protective Covers for the helm seat supplied by the seating manufacture	Standard
	Wheelhouse exterior screen cover	Standard
	Parasol and two sockets with dedicated stowage for the Wheel House Foredeck	6,370
	Parasol and two sockets with dedicated stowage for the aft Flybridge Deck	6,370



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price

	Item Description	£ (GBP)
ENGINE AI	ND MACHINERY (500)	
Systems		
	MTU BlueVision Basic New Generation ships automation systems.	
	MFD display per engine and dual station.	
	LOP–14 Local operating panel with display in engine room per engine.	
	MTU RCS Engine propulsion control levers dual station.	
	MTU Stop/start operating panel per engine and dual station.	Standard
	Wing station control – port and starboard of main wheelhouse.	
	MTU RCS Engine propulsion control levers.	
	MTU Stop/start operating panel per engine.	
	Sleipner Thruster control.	
	Simrad Steering Lever FU50.	
	Horn button. in the Wheel House Foredeck	Standard
	Trailing Pumps. Used to supply oil pressure for gearbox lubrication during windmilling situations, this may include running on one engine or when under tow	11,471
	Auto Troll for Transmissions for slow speed manoeuvring (only possible if confirmed at stage of contract)	37,629
	Hydraulic Sleipner Bow thruster system. Model SH1000/513TC 63kW in a 513mm ID GRP tunnel.	Standard
	Hydraulic Sleipner Stern thruster system. Model SP550/386TC 43kW in a 386mm ID GRP tunnel.	49,126
	Sleipner digital Fin stabilization system providing effective means of stability when underway and significant roll reduction while at rest or anchor	222,123
	Spare Propellers x 2 to be shipped to owners destination	47,436
	Spare Propeller shafts x 2 to be shipped to owners destination	20,543
SYSTEMS	(600)	
Air Conditi	oning	
	Air Conditioning Marine Air chilled water system to standard specification	Standard
	Air Conditioning Marine Air chilled water system to Tropical specification	35,942
	Air Conditioning Marine Air chilled water system to Tropical specification and with quieter running WhisperCool DC fans	47,925
	Air Conditioning Marine Air chilled water system to Gulf specification	44,928
	Air Conditioning Marine Air chilled water system to Gulf specification and with quieter running WhisperCool DC fans	59,906
	Air Conditioning for the engine room. Two Marine Air VCD27SZ (48,000 Btu) Self–contained units	25,86°



	Item Description	Retail Price £ (GBP)
Fresh water s	ystems	
	Fresh water tank is an integral GRP tank, WRAS approval for portable water of 4000 litre capacity. Pressure system via two Gianneshi Duplex 400V 3 Phase 50Hz	
	self priming pumps 100 l/m each and mounted with inlet/discharge manifold.	Standard
	Fresh water marina connection regulator	Standard
	Kinetico CC206C Water Softener	6,140
	Octo Marine Compact Water Softener	6,140
	Idromar Chlorine dosing unit. Will disinfect the freshwater supply from the connection point in the starboard aft service locker or from the watermaker.	Standard
	General Ecology Seagull IV X–2BK in–line freshwater purifier serving the galley and bar faucets.	
	General Ecology Nature Pure QC in–line freshwater purifier to all independent icemakers.	Standard
	Hot water calorifiers. Two x Surejust horizontal 200 litre stainless steel cased tanks, each with 3 x 2kW 230V 3 phase immersion heaters. 60 litre expansion tank.	
	Hot water circuit ring main throughout the lower and Main Decks with permanently running circulation pump 230V 1 Phase 50Hz – 120W	Standard
	Hand held swimming shower	Standard
	Stern locker overhead bathing platform swimming shower	Standard
	Hansgrohe removable shower stand over the platform	1,782
	Fresh water deck wash system with hose reel and outlets on Aft deck, Flybridge deck and Foredeck	Standard
	Flybridge deck high pressure water misting system installed on underside hard top with 12 jets. Misters Unlimited PM10 230V 1 Phase 50Hz.	6,378
Watermaker		
	Water Maker – Idromar Water Maker 180 litres per hour (MC3J–180A–2) 380V 50Hz– Three Phase	Standard
	Water Maker – Idromar Water Maker 250 litres per hour (MC5S–250A–2) 380V 50Hz – Three Phase	4,431
	Water Maker – Idromar Water Maker 375 litres per hour (MC9S–375A–2) 380V 50Hz – Three Phase	12,267
Grey Water S	ystems	
	Grey water from showers, wash basins and galley services will drain to Tecma transfer units 240V 1 Phase 50Hz to large diameter gravity fed pipes into the	
	Grey water integral GRP holding tank of 1225 litre capacity.	
	Discharge is via a Gianneshi 400V 3 Phase 50Hz self priming centrifugal macerating pump to directly over board or the black water tank to that the waste	
	can be removed via a shore side facility when available or to the optional sewage treatment system if specified.	Standard



Item Description		Retail Price £ (GBP)
Black water systems		
Black water holdi	ng tank is an integral GRP tank of 1340 litre capacity. Discharge via a Gianneshi 400V 3 Phase 50Hz self priming centrifugal macerating pump	
to either a shore	acility when available or directly overboard (refer to MARPOL regulations) or a Sewage treatment plant if the option is taken.	Standard
Sewage Treatmen	t plant. ECOmar 32 (3200 I/day) 230V 1 Phase 50Hz	51,950
Tecma Silent Plus	220Volt AC macerating toilets	Standard
Bidet option for 7	ecma toilet for the Master En suite Toilet	548
Bidet option for 7	ecma toilet for the Port Aft Double Guest Toilet	548
Bidet option for 1	ecma toilet for the Starboard Aft Double Guest toilet	548
Bidet option for 1	ecma toilet for the Port Forward Twin Guest toilet	548
Bidet option for 1	ecma toilet for the Starboard Forward Twin Guest toilet	548
Engine room systems		
Fire Hydrant stati	ons in two locations (Main Deck stbd side deck locker and Main Deck port side deck locker) with primary engine room pump being the	
Gianneshi self pr	ming centrifugal 400V 3 Phase 50Hz 5.5kW and a secondary Gianneshi self priming centrifugal pump powered by an independent diesel engine	
located in the for	vard laundry room.	
The tender garag	space has a deluge system comprising of three sprinkler heads.	Standard
Bilge pump syste	n with primary engine room pump being the Gianneshi self priming centrifugal 400V 3 Phase 50Hz 5.5kW and a secondary (as shared with	
the Hydrant syste	m) Gianneshi self priming centrifugal pump powered by an independent diesel engine located in the laundry room. Both are coupled to bilge	
manifould valve b	ocks which are connected to the strum boxes throughout the boat.	
Fitted in the tend	er garage is a Gianneshi self priming centrifugal 400V 3 Phase 50Hz 2.2kW bilge pump with strum box.	
MTU fitted engine	direct bilge pump with strum box.	Standard
Fireboy–Xintex Fi	e alarm detection system. Model 90900 control panel with dedicated Apollo Smoke/heat detectors in all accomodation areas.	
Connected to the	MPA system to repeat alarm.	Standard
Sea–Fire FM–200	H–Series fixed machinery space fire extinguishing system.	Standard
Diesel fuel main t	ank is an integral GRP tank of 9,925 litre capacity.	
Diesel fuel day ta	ik is an integral GRP tank of 4,525 litre capacity with an AC transfer pump to replenish from the main tank.	Standard
Diesel fuel long ra	nge overload integral GRP tank of 5,050 litre capacity.	44,471
	Fuel cleaning centrifugal separator 240V 1 Phase 50Hz 760 I/h.	26,451
	ing station with transfer pump from day tank and fuel hose reel	6,226
Reverso portable	electric transfer pump Oil change system for engines gearboxes and generators with quick coupling connection pipes.	Standard
Portable air com	ressor OP20P stored in the engine room with AC 220v power supply sockets in Garage, Engine Room and Foredeck.	1,993



Item Description	Retail Price £ (GBP)
ELECTRICAL SYSTEMS (700)	
Systems	
Two Kohler 55kw 400/230V 3 Phase 50Hz – 55EFOZDJ with sound shields	Standard
Two Kohler 70kw 400/230V 3 Phase 50Hz – 70EFOZDJ with sound shields	48,668
Shore power configuration is a single 100A plugged flexible 20M cable on an electric reeling system.	
Second Shore power configuration is a single 100A plugged loose flexible 20M cable via a fixed inlet.	
Connected to a shore power converter Atlas 75 kVA-SPA-II Series 50Hz.	
Input 180–530V single or three phase up to 75kVA. Output 230/400V 50Hz 3 phase 75kVA	Standard
Tijssen Elecktro Marine Personal Assistance (MPA) integrated power management, boat monitoring and control system.	
Tijssen Master MPA 19" touchscreen display in the Wheelhouse bridge.	
Tijssen Master MPA 15" touchscreen display in the PMS Tech Room.	
The above touchscreen interfaces allow the control of the following systems.	
AC Electrical system power monitoring and display.	
Status monitoring and control of AC switch gear.	
Display of the main generator parameters.	
DC System Power monitoring and display.	
Monitoring and display of DC switch gear status.	
Monitoring of Diesel fuel, fresh water, grey water and black water.	
Control and monitoring of all major fluid pumps (Fuel Transfer, Black and Grey)	
Monitoring of status of all the main circuit breakers.	
Monitoring and control of navigation lights.	
Monitoring of doors and Hatch Status.	
Monitoring of Hydraulic systems tank levels and status.	
Monitoring via a single float switch of bilge water level in five bilge compartments.	
Provide control and monitoring of engine room ventilation.	
Provide exhaust temperature monitoring.	
Remote Access via internet VPN for Tijseen Elektro factory (captain approve access only)	
Fire Alarm Monitoring. Pop up alarm in the event of active fire alarm.	Standard
Tijssen Elecktro Marine Personal Assistance (MPA) 15" touchscreen master display in the Crew Mess	Standard
Tijssen MPA Generator Control and Monitoring System Upgrade.	
Additional feature allowing complete control and monitoring of generator parameters and alarms via the Tijssen Touch Screen.	5,960
Tijssen SMS Paging facility allowing MPA alarms to be sent to up to five GSM accounts (Sim card and subscription not included)	7,394
Tijssen Swipe card security alarm Integrated to MPA system	5,121



Item Description	Retail Price ₤ (GBP)
Tijssen CCTV camera system with four dedicated cameras.	
Camera 1 Aft Cockpit viewing towards stern entry point.	
Camera 2 Engine room.	
Camera 3 Port Main Deck side deck (viewing aft)	
Camera 4 Starboard Main Deck side deck (viewing aft)	23,078
Tijssen CCTV camera system with eight dedicated cameras.	
Camera 1 Aft Cockpit viewing towards stern entry point.	
Camera 2 Engine room (viewing aft)	
Camera 3 Engine room (viewing forward)	
Camera 4 Port Main Deck side deck (viewing aft)	
Camera 5 Starboard Main Deck side deck (viewing aft)	
Camera 6 Tender Garage	
Camera 7 Flybridge Deck (viewing forward over the wheelhouse Foredeck)	
Camera 8 Flybridge Deck (viewing aft)	28,410
Flir M625L PAL Slow Thermal and Low light Camera.	25,359
Flir MV606C Thermal and Daylight Camera.	141,879
Kahlenberg Chimetone D1 chrome twin trumpet with separate Kahlenberg marine duty Air Compressor system Model KA500 (220V AC 1 Phase 50Hz,	
0.6HP, 150 p.s.i. max pressure)	Standard
Kahlenberg Chimetone T1 chrome triple trumpet with separate Kahlenberg marine duty Air Compressor system Model KA1000 (220V AC 1 Phase 50Hz,	
1.2HP, 150 p.s.i. max pressure)	7,892
Kahlenberg signal timer option on lower console	1,010
Galley Appliances	
Miele stainless steel front Refrigerator K14820SDED – 391 litres and Miele stainless steel front Freezer FN14827SED – 261 litres in the Galley	Standard
Superyacht Custom Commercial Galley Refrigeration by Frigoboat with polished stainless steel interiors – Two side by side units giving 406 litres fridge capacity	
and 334 litres freezer capacity. Increases volume and performance with remote sea water cooled refrigeration Plant	28,889
Miele H6460BP single convection oven in the Galley	Standard
Second Miele H6460BP single convection oven in the Galley	1,922
Miele M6262TC Microwave oven 46 litre capacity. 1500W Grill in the Galley	Standard
Miele KM6389 Induction hob 5 zone – 900mm in the Galley	Standard
Miele DA3496 Stainless Steel slide out canopy cooker hood in the Galley	Standard
Icemaker Victrofrigo Classic in the Galley	Standard
Nespresso Krups XN730T Coffee Machine. in the Galley Servery	Standard
Miele KWT6321 UG Built in Wine Cooler. 34 bottles in the Galley Servery	Standard



Item Description	Retail Price £ (GBP)
Laundry Appliances	
Miele WDA201 Washing Machine	
Miele T8822C Tumble Dryer	
Miele G 6995 SCVi XXL full size Dishwasher. 14 place settings in the Laundry Room	Standard
Miele Professional Appliances upgrade – Miele Washing machine, Miele Tumble dryer and Miele dishwasher	17,821
Aft Cockpit Appliances	
Icemaker Victrofrigo Classic in the Aft Cockpit bar	Standard
Refrigerator. Waeco Coolmatic CR–110 in the Aft Cockpit bar	Standard
Refrigerator. Frigoboat MS 130 stainless steel cabinet in the Aft Cockpit	5,970
Flybridge Appliances	
Icemaker Victrofrigo Classic on the Flybridge	Standard
Refrigerator. Waeco Coolmatic CR–110 on the Flybridge	Standard
Techimpex Mega MBBQ 73 on the Flybridge	Standard
Refrigerator. Frigoboat MS 130 stainless steel cabinet on the Flybridge	5,970
Wheelhouse Deck	
GRP wet bar for Wheelhouse Deck with small sink, Refrigerator and Ice maker	21,780
Crew Mess Appliances	
Miele integrated Refrigerator K621 Ul–1 – 157 litres in the Crew Mess	Standard
Miele Microwave with grill M6022SC (800W – 17 litres) in the Crew Mess	Standard
Interior Lighting and Sockets	
Vimar ByMe Interior Lighting standard switch system	Standard
Vimar ByMe Interior Premium Lighting System Package	13,554
Exterior Lighting	
Sanshin Twin Beam remote controlled Searchlight HR–1012 dual station control. 55W x2 Halogen 24V – 160,000cd	Standard
Voyager 2 remote controlled Seachlight VX500V2 dual station control. 150W Xenon 24V – 7,600,000cd	7,524
Underwater lights. Lumishore white LED 15 lights with 5 across transom and 5 on either side	50,123
Additional Underwater lights. Lumishore white LED – Price per light	3,342
General Electrical	
Powered Blinds for the Master Stateroom, the Port Aft Guest Stateroom, the Starboard Aft Guest Stateroom, the Port Forward Guest Stateroom	
and the Starboard Forward Guest Stateroom.	4,980



(EFFECTIVE 1ST SEPTEMBER 2016)

Dotail Duice

	Item Description	Retail Price £ (GBP)
COMMUN	ICATION EQUIPMENT (820)	
	Network and communications system as follows:	
	Terrestrial Communications and Control using a Pepwave MAX BR1 3G/4G ship to shore Wi–Fi Router.	
	3G, 4G Data Communications (dependant on SIM card and coverage)	
	Wi–Fi Data Communications (linked to marina Network)	
	User ability to select data method depending on availability. Note: Owner to supply 3G/4G SIM cards, set up for roaming.	
	Wireless network giving coverage throughout boat.	Standard
	Iridium 9555 Satellite Phone system with docking station and external passive antenna.	8,194
	Satellite Communication system. Sailor 800 VSAT 83cm KU band (6W BUC, 2x MB LNB) housed in 1m dome	52,175
	Satellite Communication system. Sailor 900 VSAT 103cm KU band (8W BUC, 2x MB LNB) housed in 1m dome	67,279
	A Panasonic PABX telephone exchange system KX–TES824 shall be fitted as standard and will include the following handsets.	
	Panasonic 'Dect Phone' for the Main Deck Saloon, Master Stateroom and the Captains Cabin.	
	Panasonic 'Fixed Phone' for the Starboard Guest Double Stateroom, Port Guest Double Stateroom, Starboard Guest Twin Stateroom, Port Guest Twin Stateroom,	
	the Wheelhouse, Crew Mess and the Galley. Two Shorelines are provided for connection to the PABX and an external Ethernet Network connection.	Standard
	Cellular modem to PABX for GSM voice communication with external cellular and WLAN antenna	1,720
NAVIGATI	ON EQUIPMENT (825)	
	Three x Hatteland Series X 19" Maritime multi Displays for Radar, Plotter and central navigation (Fourth standard display for the Tijssen monitoring system)	Standard
	Two additional Hatteland Series X 19" Maritime multi Displays for Second Radar and cameras	7,993
	Electronic Chart System. Transas Navi–Sailor 4000 ECDIS	Standard
	Electronic Chart System upgrades. Transas AIS, ARPA and Radar intergration.	7,729
	Electronic Chart System. Nobeltec TimeZero Trident including Furuno radar plus pack, Furuno sounder plus pack with B744VL depth speed temp	
	transducer and Furuno DFF1 sounder module.	3,898
	Furuno Radar FAR2117–BB X–Band 9GHz 12Kw with 6.5' Open Scanner with Furuno processor RPU–013 and Furuno keyboard RCU–14.	Standard
	Second Furuno Radar FAR2117–BB High speed X–Band 9GHz 12kW with 4' Open Scanner with Furuno processor RPU–013 and Furuno keyboard RCU–14.	21,875



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price
Item Description
£ (GBP)

#### Navigation Equipment:

Measuring Log and Echo Sounder. Furuno LS6100.

GPS. Furuno GP170 GPS Navigator with GPS antenna.

Rudder Angle Indicator. Simrad RF45X.

Satellite Gyro Compass. Hemisphere GNSS V103.

Autopilot. Simrad AP70.

Magnetic Compass. A magnetic compass with 6" card.

Central Navigation Display. FT Nav-vision Navigation data display with trackball and wireless keyboard.

#### Communication Equipment:

VHF Radio. Sailor 6222 Class A VHF - DSc.

VHF Radio. Simrad RS90 Class D VHF/DSc with Handsets in Wheelhouse, Fly Console, Crew Mess and Emergency Steering Position.

EPIRB. McMurdo E5.

SART. McMurdo S4. Standard

#### Navigation Equipment Upgrade for LY3:

Measuring Log and Echo Sounder. Furuno FCV628 with console and crew mess repeater RD33.

GPS. Furuno GP170 GPS Navigator with GPS antenna.

AIS. Furuno FA170 Class A AIS Transponder with GPS and VHF antenna.

Bridge Navigational Watch Alarm. Furuno BR500.

Rudder Angle Indicator. Simrad RF45X.

Satellite Gyro Compass. Hemisphere GNSS V103.

Autopilot. Simrad AP70.

Magnetic Compass. A magnetic compass with 6" card.

Central Navigation Display. FT Nav-vision Navigation data display with trackball and wireless keyboard.

#### Communication Equipment Upgrade:

MF Radio. Sailor 6310 MF/HF 150W Radio Telephone.

VHF Radio. Sailor 6222 Class A VHF - DSc.

VHF Radio. Simrad RS90 Class D VHF/DSc with Handsets in Wheelhouse, Fly console, Crew Mess and Emergency Steering Position.

Inmarsat C with LRIT. Sailor 6110.

Navtex Receiver. Furuno NX700B.

Handheld Portable VHFs. 2x Icom IC GM1600E and BP234.

EPIRB. McMurdo E5.

SART. McMurdo S4.

36,377



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price

£ (GBP)
Standard
be specified at time of order) 3,440
1,135

#### **ENTERTAINMENT EQUIPMENT (830)**

#### Entertainment Standard AV Package

An integrated Sonos System will allow audio streaming throughout outside areas and saloon. Audio streaming can be via any Apple or Android equipment with Wi–fi capability. Sonos Control App needs to be installed. One tablet is supplied as standard.

- 1. Saloon AV Samsung 55" HD LED 3D Television. Harmon Kardon 580 5.1 –3D Bluray surround system. Speakercraft Speakers x 5. Speakercraft Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI and USB.
- 2. Master Stateroom AV Samsung 55" HD LED 3D Television. Harmon Kardon 580 5.1 –3D Bluray surround system. Speakercraft Speakers x 5. HK Sub–Woofer. HDMI socket.
- 3. Starboard Aft Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. Speakercraft Speakers x 2. HK Sub–Woofer. HDMI socket.
- 4. Port Aft Stateroom AV –Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. Speakercraft Speakers x 2. HK Sub–Woofer. HDMI socket.
- 5. Starboard Forward Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. Speakercraft Speakers x 2. HK Sub–Woofer. HDMI socket.
- 6. Port Forward Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. Speakercraft Speakers x 2. HK Sub–Woofer. HDMI socket.
- 7. Crew Mess AV Samsung 32" HD LED Television. Fusion DVD/CD/FM Tuner with Bluetooth function. Fusion Speakers x 2.
- 8. Captains Cabin AV Samsung 22" HD LED Television. Fusion DVD/CD/FM Tuner with Bluetooth function. Fusion Speakers x 2.
- 9. Each of the two Crew Cabins and the Wheelhouse have the following Audio. Fusion CD/FM Tuner with Bluetooth function. Fusion Speakers x 2.
- 10. Audio for Main Deck Aft Cockpit Four Sonance VP65R XT Extreme Speakers. 1 x Speakercraft 8.2BAS Sub Woofer powered with Sonos Connect and amplifier.
- 11. Audio for the Flybridge Deck Six Sonance VP65R XT Extreme Speakers. 1 x Speakercraft 8.2BAS Sub Woofer powered with Sonos Connect and amplifier.
- 12. Audio for Wheelhouse Deck Four Sonance VP65R XT Extreme Speakers with Sonos Connect and amplifier.

Standard



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price £ (GBP)

#### Item Description

#### Entertainment Upgrade AV Package

An integrated Sonos System with performance speaker upgrade will allow audio streaming throughout outside areas, saloon, master stateroom and all guest cabins. Audio streaming can be via any Apple or Android equipment with Wi–fi capability. Sonos Control App needs to be installed. Tablets are supplied for interior and exterior zones (total 3).

- 1. Saloon AV Samsung 55" HD LED 3D Television. Harmon Kardon 580 5.1 –3D Bluray surround system. B&W Speakers x 5. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI and USB.
- 2. Master Stateroom AV Samsung 55" HD LED 3D Television. Harmon Kardon 580 5.1 –3D Bluray surround system. B&W Speakers x 5. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI socket.
- 3. Starboard Aft Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. B&W Speakers x 2. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI socket.
- 4. Port Aft Stateroom AV –Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. B&W Speakers x 2. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI socket.
- 5. Starboard Forward Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. B&W Speakers x 2. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI socket.
- 6. Port Forward Stateroom AV Samsung 32" HD LED Television. Harmon Kardon 280 2.1–3D Bluray surround system. B&W Speakers x 2. B&W Sub–Woofer. Sonos Connect wired to AV Receiver. HDMI socket.
- 7. Crew Mess AV Samsung 32" HD LED Television. Fusion DVD/CD/FM Tuner with Bluetooth function and Sonos Connect. Fusion Speakers x 2.
- 8. Captains Cabin AV Samsung 22" HD LED Television. Fusion DVD/CD/FM Tuner with Bluetooth function. Fusion Speakers x 2.
- 9. Each of the two Crew Cabins, the Wheelhouse and Galley have the following Audio. Fusion CD/FM Tuner with Bluetooth function. Fusion Speakers x 2.
- 10. Main Deck Aft Cockpit Audio 4 x Sonance Extreme VP65R XT speakers and 2 x Speakercraft 8.2BAS Sub Woofer powered with Sonos Connect and amplifier.
- 11. Flybridge Deck Audio 8 x Sonance Extreme VP65R XT speakers and 2 x Speakercraft 8.2BAS Sub Woofer powered with Sonos Connect and amplifier.
- 12. Foredeck Audio 4 x Sonance Extreme VP65R XT speakers and 1 x Speakercraft 8.2BAS Sub Woofer powered with Sonos Connect and amplifier.

23,026



(EFFECTIVE 1ST SEPTEMBER 2016)

Retail Price £ (GBP)

# Item Description Main Optional Package – Bang & Olufsen

- 1. Main Deck Saloon AV Beovision Avant 55" 4K Smart Television on a swivel lifter with Beo Remote One and Beosound Moment music control System. Beolab 18 Speaker System and Beolab 19 Sub Woofer with an Oppo BD103 D Multi Regional DVD Player all Linked to Apple TV to stream music and video. NAS Drive Network for CD Storage. One iPad Mini supplied to control this Zone.
- 2. Master Stateroom AV Beovision Avant 55" 4K Smart Television with Beo Remote One control. Beolab 14 4.1 Speaker System with a Oppo BD103 D Multi Regional DVD Player all Linked to Apple TV to stream music and video. 2 x Sonance VP65R XT Extreme speakers in the ensuite.
- 3. All Four Guest cabins AV Samsung 32" Smart HD LED Television with Beo Remote One control. BeoSound Essence interface with Bower and Wilkins in–ceiling speakers with IcePower Amplifier. An Oppo BD103 D Multi Regional DVD Player all Linked to Apple TV to stream music and video.
- 4. Main Deck Aft Cockpit Audio BeoSound Essence controller for 4 x Sonance Extreme VP65R XT speakers and 2 x Speakercraft 8.2BAS Sub Woofer powered by IcePower Amplifier allowing for Zone control of the Saloon system.
- 5. Flybridge Deck Audio BeoSound Essence controller for 8 x Sonance Extreme VP65R XT speakers and 2 x Speakercraft 8.2BAS Sub Woofer powered by IcePower Amplifier allowing for Zone control of the Saloon system.
- 6. Wheelhouse Deck Audio BeoSound Essence controller for 4 x Sonance Extreme VP65R XT speakers powered by IcePower Amplifier allowing for Zone control of the Saloon system.
- 7. Wheelhouse Bridge Fusion AV750 CD/FM Tuner with Bluetooth function and 2 x Speakers.
- 8. Galley Fusion AV750 CD/FM Tuner with Bluetooth function and 2 x Speakers.
- 9. Crew Mess AV Samsung 32" HD LED Television. Fusion AV750 DVD/CD/FM Tuner with Bluetooth function and Apple TV. Speakers x 2.
- 10. Captains Cabin AV Samsung 22" HD LED Television. Fusion AV750 DVD/CD/FM Tuner with Bluetooth function. Speakers x 2.

11. Each of the Crew Cabins – Fusion AV750 CD/FM Tuner with Bluetooth function and 2 x Speakers.	72,018
Satellite Television System. KVH TV8 82cm including installation of two free to air decoders	34,391
Satellite Television System. Seatel 100 TVHD 3 Axis Global including two Technomate Euro free to air HD decoders	52,842